



color your life!



100% MADE IN ITALY



Mister Paint, Italian specialists in professional wall paints.

Our highly technological production plant makes top-quality products, always using latest-generation resins and additives, with the aim of obtaining a range that pays close attention to respecting the environment.

Products are distributed throughout Italy and abroad, providing customers with an efficient technical support service.





Environmental Responsibility: Mister Paint products are developed with respect and protection of the environment in mind. All products in our range are the result of collaboration with professionals who are always researching new raw materials that are highly efficient and environmentally friendly. We aim to guarantee our customers and their families an environmentally sustainable present and future.

Primers and fixatives for interiors and exteriors



QUARZ GRIP

PIGMENTED ADHERENCE PRIMER

Pigmented primer composed of special resins and fillers that can be used as a surface impregnation coat on brickwork surfaces, spreading evenly and providing a pigmented base with optimum grip for subsequent coats and finishes. QUARZ GRIP contains selected micro fillers to smooth out treated surfaces.



YIELD:
8-10 m²/L per coat



CONTAINS:
5 L - 14 L.



DILUTION:
Dilute with water 30/40%



VOC:
MAX: 30 g/L (2010)



FIX ACRYL

ACRYLIC FIXATIVE

FIX ACRYL is a special acrylic resin solution that can be used, when diluted into 1:4 – 1:6 parts (1 part product and 4 or 6 parts water), as a superficial impregnation coat of brickwork surfaces, evenly spreading and reducing absorption and improving grip of subsequent finishes.



YIELD:
8-10 m²/L per coat



CONTAINS:
1 L - (box of 12) - 5 L.



DILUTION:
Dilute with water 1:4 - 1:6%



VOC:
MAX: 30 g/L (2010)

Paint for interiors





BASIC

BREATHABLE WATER-BASED PAINT

Breathable water-based paint for use indoors, for applying on ceilings, in garages and on the inside of industrial buildings. Good coverage and easy to spread, for economical finishing cycles. For further information, consult the technical specifications of the product.

**YIELD:**

4 - 5 m²/L finished work (2 coats)

**CONTAINS:**

14 L.

**DILUTION:**

Dilute with water 20/30%

**VOC:**

MAX: 30 g/L (2010)



MASTER PLUS

HIGH-PERFORMANCE WASHABLE WATER-BASED PAINT

MASTER PLUS is a professional, water-based paint for indoor and outdoor use. Excellent coverage and excellent resistance to washing, with a very pleasant finish and excellent whiteness. Formulated with titanium dioxide and selected aggregates, dispersed in water-soluble acrylic resins. Suitable for walls and ceilings, both new and to be restored, for lasting protection.

**YIELD:**

6 - 7 m²/L finished work (2 coats)

**CONTAINS:**

750 ML. (box of 6)
5 L - 14 L.

**DILUTION:**

Dilute with water 25/35%

**VOC:**

MAX: 30 g/L (2010)



TOP

PROFESSIONAL BREATHABLE WATER-BASED PAINT

Breathable water-based paint for use indoors, for applying on walls and ceilings to ensure perfect breathability, excellent brightness and a quality finish. For further information, consult the technical specifications of the product.

**YIELD:**

5 m²/L finished work (2 coats)

**CONTAINS:**

5 L - 14 L.

**DILUTION:**

Dilute with water 25/35%

**VOC:**

MAX: 30 g/L (2010)



MISTER SMALTO

ODOURLESS WATER-BASED ENAMEL FOR WALLS

Water-based enamel with very low odour emission. This product has been developed for painting walls and ceilings in environments where food products are present, such as: canteens, delicatessens, kitchens, cold rooms etc.

**YIELD:**

6 - 7 m²/L finished work (2 coats)

**CONTAINS:**

1 L - 2.5 L - 12 L.

**DILUTION:**

Dilute with water 0/3%

VOC:

MAX: 140 g/L (2010)



TOP ACRYL



PROFESSIONAL WATER-BASED ANTI-MOULD PAINT

TOP ACRYL is a professional water-based paint for indoor use. Excellent breathability and coverage. Formulated with acrylic resins, selected aggregates and titanium, for excellent light resistance and whiteness. Also prevents the formation of mould. Suitable for walls and ceilings that require breathability, with a natural, non-film-forming effect. Thanks to these characteristics, it does not crack or peel away even in damp environments.

**YIELD:**

6 - 7 m²/L finished work (2 coats)

**CONTAINS:**

750 ml. (box of 6)
5 L - 14 L.

**DILUTION:**

Dilute with water 25/35%

**VOC:**

MAX: 30 g/L (2010)



Paints and coatings for exteriors





MASTER PLUS

HIGH-PERFORMANCE WASHABLE WATER-BASED PAINT
MASTER PLUS is a professional, water-based paint for indoor and outdoor use. Excellent coverage and excellent resistance to washing, with a very pleasant finish and excellent whiteness. Formulated with titanium dioxide and selected aggregates, dispersed in water-soluble acrylic resins. Suitable for walls and ceilings, both new and to be restored, for lasting protection.

	YIELD: 6 - 7 m ² /L finished work (2 coats)		CONTAINS: 750 ML. (box of 6) 5 L - 14 L.
	DILUTION: Dilute with water 25/35%		VOC: MAX: 30 g/L (2010)



SPECIAL

PROFESSIONAL QUARTZ WATER-BASED PAINT
Washable water-based paint for outdoor use, enriched with quartz, with excellent coverage and filling capacity, suitable for rough-cast, smooth and cement plaster, to guarantee lasting protection.

	YIELD: 4 - 5 m ² /L finished work (2 coats)		CONTAINS: 750 ml. (box of 6) 5 L - 14 L.
	DILUTION: Dilute with water 25/35%		VOC: MAX: 40 g/L (2010)



SILO ACRYL

PROFESSIONAL WATER-BASED ACRYLIC SILOXANE PAINT
Washable siloxane acrylic water-based paint for outdoor use, offering excellent protection against fungi and algae, as well as excellent breathability. Ideal for any surfaces where a quality finish is required.

	YIELD: 6 - 8 m ² /L finished work (2 coats)		CONTAINS: 750 ml. (box of 6) 5 L - 14 L.
	DILUTION: Dilute with water 25/35%		VOC: MAX: 40 g/L (2010)



RA 500

ACRYLIC COATING
Thick coating containing selected quartz designed to obtain a high-quality, compact finish. Ideal for outdoor use, it offers excellent protection from inclement weather and the spread of mould and algae. The product is used as a coating to protect façades, giving them a compact appearance that is very pleasant to the touch. It can be applied to plaster with a limestone-cement base, on reinforced smoothing coats with the use of fibreglass mesh, and on thermal insulation systems in general.

	YIELD: 2 - 2.5 m ² /Kg		CONTAINS: 3 Kg - 25 Kg.
	GRAIN: 1.2 - 1.5		VOC: MAX: 40 g/L (2010)



RAS 600

ACRYLIC SILOXANE COATING
Thick, highly breathable, water-repellent coating with selected quartz designed to obtain a high-quality, compact finish. Ideal for outdoor use, it offers excellent protection from inclement weather and the spread of mould and algae. The product is used as a coating to protect façades, giving them a compact appearance that is very pleasant to the touch. It can be applied to plaster with a limestone-cement base, on reinforced smoothing coats with the use of fibreglass mesh, and on thermal insulation systems in general.

	YIELD: 2 - 2.5 m ² /Kg		CONTAINS: 3 Kg - 25 Kg.
	GRAIN: 1.2 - 1.5		VOC: MAX: 40 g/L (2010)



RS 700

SILOXANE COATING
Thick, highly breathable, water-repellent coating with selected quartz designed to obtain a high-quality, compact finish. Ideal for outdoor use, it offers excellent protection from inclement weather and the spread of mould and algae. The product is used as a coating to protect façades, giving them a compact appearance that is very pleasant to the touch. It can be applied to plaster with a limestone-cement base, on reinforced smoothing coats with the use of fibreglass mesh, and on thermal insulation systems in general.

	YIELD: 2 - 2.5 m ² /Kg		CONTAINS: 3 Kg - 25 Kg.
	GRAIN: 1.2 - 1.5		VOC: MAX: 40 g/L (2010)

*How did you live
without?*



MISTER PAINT Srl
36063 Marostica (VI) - Italy
Telephone and Fax +39.0424.1754229
www.misterpaint.it - info@misterpaint.it

